

## Werkzeigtabelle Dornbiegen

Nr.	Rohr - Ø mm	in	Radius mm	in	Klemmlänge in mm	Maschine
1	4		8		32	Tracto
2	5		10		32	Tracto
3	6		12		32	Tracto
4	6		30		32	Tracto
5	8		16		32	Tracto
6	10		20		32	Tracto
7	10		20		32	Tracto Mäander
8	10,2		20,4		32	Tracto
9	12		24		32	Tracto
10	12		42		40	Rothenberger
11	13,5		27		32	Tracto
12	14		28		32	Tracto
13	15		30		30	Transfluid
14	15		30		32	Tracto
15	15		45		65	Hungs
16	15		53		45	Rothenberger
17	16		32		32	Tracto
18	16		35		50	Hungs
19	17,2		34,4		32	Tracto
20	18		36		32	Tracto
21	18		36		37	Transfluid
22	18		52		60	Hungs
23	18		70		65	Hungs
24	18		73		55	Rothenberger
25	18		76		85	Hungs
26	18		90		100	Hungs
27	19		110		80	Lang / Hungs
28	20		40		50	Hungs
29	20		50		60	Hungs
30	20		60		85	Hungs
31	20		120		45	Transfluid

32	21,3	57	80	Lang
33	22	44	44	Transfluid
34	22	48	130	Hungs
35	22	65	80	Hungs
36	22	80	70	Hungs
37	22	88	55	Rothenberger
38	22	90	130	Hungs
39	22	110	85	Hungs
40	24	35	80	Hungs
41	25	38	85	Hungs
42	25	40	60	Hungs
43	25	45	80	Hungs
44	25	61	80	Hungs
45	25	52	125	Lang
46	25	62	85	Hungs
47	25	80	65	Hungs
48	25	97	125	Hungs
49	25	100	80	Hungs
50	25	110	80	Hungs
51	26	60	80	Lang
52	26,9	45	125	Hungs
53	27	36	65	Hungs
54	27	54	80	Hungs
55	27	70	80	Hungs
56	27	80	87	Hungs
57	28	56	56	Transfluid
58	28	70	80	Hungs
59	28	95	100	Hungs
60	28	110	130	Lang
61	28	112	60	Rothenberger
62	28	122	80	Hungs
63	28	150	65	Hungs
64	29	175	44	Transfluid
65	30	25	85	Lang

66	30	40	130	Hungs
67	30	45	80	Hungs
68	30	60	85	Hungs
69	30	65	60	Transfluid
70	30	85	60	Transfluid
71	30	97	80	Hungs
72	30	110	85	Hungs
73	30	125	60	Transfluid
74	30	125	125	Lang
75	30	275	120	Lang
76	32	50	64	Transfluid
77	32	65	80	Hungs
78	32	70	80	Hungs
79	32	87	80	Hungs
80	32	116	80	Hungs
81	33,7	80	68	Transfluid
82	34	82	60	Hungs
83	34	90	65	Hungs
84	35	63	70	Hungs
85	35	70	80	Transfluid
86	35	96	85	Hungs
87	35	102	85	Hungs
88	38	55	125	Lang
89	38	55	80	Lang
90	38	60	115	Lang
91	38	70	76	Transfluid
92	38	82	80	Hungs
93	38	85	130	Lang
94	38	130	105	Lang
95	38	160	130	Lang
96	40	100	80	Lang
97	40	110	95	Lang
98	40	125	80	Lang
99	40	250	65	Lang

100	40	300	65	Lang
101	42,4	82	120	Lang
102	42,4	85	80	Transfluid
103	42,4	100	150	Lang
104	42,4	110	80	Lang
105	42,4	150	110	Lang
106	42,4	217	120	Lang
107	43	87	80	Lang
108	44	100	115	Lang
109	44	180	140	Lang
110	45	214	130	Lang
111	48,3	97	100	Transfluid
112	48,3	100	130	Lang
113	48,3	143	120	Lang
114	48,3	148	115	Lang
115	50	100	100	Transfluid
116	50	100	120	Lang
117	50	170	125	Lang
118	50	225	150	Lang
119	50	253	100	Lang
120	50	280	180	Lang
121	50	310	100	Lang
122	50	360	100	Lang
123	57	100	125	Lang
124	57	130	145	Lang
125	57	220	140	Lang
126	60,3	110	120	Transfluid
127	60,3	120	120	Transfluid
128	60,3	135	145	Lang
129	60,3	185	100	Lang
130	60,3	230	120	Lang
131	60,3	324	120	Lang
132	60,3	370	120	Lang
133	70	140	140	Transfluid

134	70	160	140	Lang
135	76,1	140	150	Transfluid

Auch Werkzeugsätze für Profile und Sonderprofile zahlreich vorhanden.

Sie finden nicht die gewünschten Maße? Wir beschaffen auch für Ihren Auftrag das passende Werkzeug. Sprechen Sie uns einfach an.